

Apollo 600 Textured

Type Lounge
 Mounting Suspended
 Material Aluminium
 El. class / IP Class I / IP20
 Warranty: see p.348

Titan


CCT 2700K / 3000K / 4000K
 CRI Ra90 (Ra80 on request)
 SDCM 3
 Luminous Flux LED
 2700K - Ra90: (3x) 1100lm (124lm/W)
 3000K - Ra90: (3x) 1156lm (130lm/W)
 4000K - Ra90: (3x) 1172lm (132lm/W)
 Luminous Flux System
 2700K - Ra90: (3x) 880lm (86lm/W)
 3000K - Ra90: (3x) 925lm (91lm/W)
 4000K - Ra90: (3x) 938lm (92lm/W)
 Beam angle 28° / 40°
 LED Power (3x) 8.9W / 350mA (excl. driver)
 System Power (3x) 10.2W / 350mA (incl. driver)

Titan Dim-to-warm LED (more info see p.330)

CCT Dim-to-warm 1800-3000K
 CRI Ra90
 Luminous Flux LED: (3x) 860lm - System: (3x) 688lm
 LED Power (3x) 8.2W / 250mA (excl. driver)
 System Power (3x) 9.4W / 250mA (incl. driver)

Suspension set (included):

- Ceiling box (matching luminaire color)
- Integrated strain relief
- Single steel suspension wire
- 230V Textile supply cable max. 2000mm:
 - White cable: White luminaire
 - Grey cable: Grey luminaire
 - Black cable: All other luminaire colors



Options

Suspension set 3700mm

White 3700mm - 3x0.75mm ²	102.13.01-4
White 3700mm - 5x0.75mm ²	102.15.01-4
Black 3700mm - 3x0.75mm ²	102.13.03-4
Black 3700mm - 5x0.75mm ²	102.15.03-4
Grey 3700mm - 3x0.75mm ²	102.13.18-4
Grey 3700mm - 5x0.75mm ²	102.15.18-4

On Request

Apollo with CRI Ra97
 Apollo with Class A LED

Apollo 600 interior with Titan



Apollo 600 Textured

1x E27 - max. 60W

1x E27

109.38.xx

3x Titan - Non dim

(3x) 2700K - Ra90 - 10.2W - 880lm

109.2600.24.927.xx

(3x) 3000K - Ra90 - 10.2W - 925lm

109.2600.24.930.xx

(3x) 4000K - Ra90 - 10.2W - 938lm

109.2600.24.940.xx

3x Titan - 1-10V dom

(3x) 2700K - Ra90 - 10.2W - 880lm

109.2600.25.927.xx

(3x) 3000K - Ra90 - 10.2W - 925lm

109.2600.25.930.xx

(3x) 4000K - Ra90 - 10.2W - 938lm

109.2600.25.940.xx

3x Titan - DALI dim

(3x) 2700K - Ra90 - 10.2W - 880lm

109.2600.26.927.xx

(3x) 3000K - Ra90 - 10.2W - 925lm

109.2600.26.930.xx

(3x) 4000K - Ra90 - 10.2W - 938lm

109.2600.26.940.xx

3x Titan - Mains dim

(3x) 2700K - Ra90 - 10.2W - 880lm

109.2600.27.927.xx

(3x) 3000K - Ra90 - 10.2W - 925lm

109.2600.27.930.xx

(3x) 4000K - Ra90 - 10.2W - 938lm

109.2600.27.940.xx

3x Titan - Push dim

(3x) 2700K - Ra90 - 10.2W - 880lm

109.2600.29.927.xx

(3x) 3000K - Ra90 - 10.2W - 925lm

109.2600.29.930.xx

(3x) 4000K - Ra90 - 10.2W - 938lm

109.2600.29.940.xx

3x Titan - Dim-to-warm 1800-3000K

(3x) DTW - 9.4W - 688lm - DALI dim

109.2600.26.DTW.xx

(3x) DTW - 9.4W - 688lm - Mains dim

109.2600.27.DTW.xx

Available colors:
000.0000.00.000.xx

Other RAL colors on request

01



White
Standard

18



Grey
Standard

03



Black
Standard

12



White + Gold Matt

25



Smoked Brown
Standard

15



Corten

05



Black + White

11



Black + Gold Matt



Apollo 800 Textured (Black + Gold Matt)



Apollo 600 interior with Titan (Black + Gold Matt)



Suspension, power cable and connecting box (Black)



Detail of surface (Black + Gold Matt)



Apollo 600/800 interior with Atlas (Black + Gold Matt)



Apollo 600 (Smoked Brown Textured)



Apollo 600 Textured (Black + Gold Matt)



Apollo 600 Textured (White)



Apollo 800 Textured (Grey)



Apollo 800 Textured (White)