

NEW

Full Moon

400 - 600 - 900

Type	Linear
Mounting	Suspended/Ceiling Mounted
Material	Aluminium/Steel
Adjustable	No
El. class / IP	Class I / IP20
CCT	2700K / 3000K / 4000K
CRI	Ra90
SDCM	3
Warranty:	see p.308

Module Full Moon 400

Luminous Flux	3000K - Ra80: 3586lm (145lm/W)
LED	4000K - Ra80: 3780lm (153lm/W)
Luminous Flux	3000K - Ra80: 2080lm (74lm/W)
System	4000K - Ra80: 2192lm (78lm/W)
LED power	24.7W (excl. driver)
System power	28.0W (incl. driver)

Module Full Moon 600

Luminous Flux	3000K - Ra80: 8268lm (145lm/W)
LED	4000K - Ra80: 8718lm (153lm/W)
Luminous Flux	3000K - Ra80: 4936lm (76lm/W)
System	4000K - Ra80: 5230lm (81lm/W)
LED power	57W (excl. driver)
System power	64.8W (incl. driver)

Module Full Moon 900

Luminous Flux	3000K - Ra80: 21262lm (145lm/W)
LED	4000K - Ra80: 22416lm (153lm/W)
Luminous Flux	3000K - Ra80: 12757lm (76lm/W)
System	4000K - Ra80: 13450lm (81lm/W)
LED power	146.6W (excl. driver)
System power	166.0W (incl. driver)

Optional suspension set:

- Ceiling box (matching luminaire color)
- Integrated strain relief
- Steel suspension wires (3x)
- 230V Textile supply cable:
 - White cable: White luminaire
 - Grey cable: Grey luminaire
 - Black cable: All other luminaire colors



Optional suspension set

Suspension set Full Moon (3 suspension wires)

Set 2000mm - 3x0.75mm ²	101.33.xx-2
Set 4000mm - 3x0.75mm ²	101.33.xx-4
Set 2000mm - 5x0.75mm ²	101.35.xx-2
Set 4000mm - 5x0.75mm ²	101.35.xx-4

Available colors: 000.00.xx-0

Suspension set color

Matt White Texture	01	standard
Matt Black Texture	03	standard
Matt Anthracite Texture	07	standard
Matt Grey Texture	18	standard
Smoked Brown Texture	25	standard
Custom colors available on request		

Options

Integrated Emergency Lighting

Standard - 3 Hours	659.24.LED-3
DALI - 3 Hours	659.26.LED-3

Both standard and DALI systems are equipped with self-testing. DALI version with on-command testing, status read-out and additional functionality.

On request

Recessed connecting box (more info on p.300/p.305)
Trimless connecting box (more info on p.300/p.305)



Full Moon 400 **NEW!**

Non dimmable

3000K - Ra80 - 28.1W	1400.00.24.830.XX
4000K - Ra90 - 28.1W	1400.00.24.840.XX

DALI Dimmable

3000K - Ra90 - 28.1W	1400.00.26.830.XX
4000K - Ra90 - 28.1W	1400.00.26.840.XX



Full Moon 600 **NEW!**

Non dimmable

3000K - Ra80 - 63.8W	1600.00.24.830.XX
4000K - Ra90 - 63.8W	1600.00.24.840.XX

1-10V Dimmable

3000K - Ra90 - 63.8W	1600.00.25.830.XX
4000K - Ra90 - 63.8W	1600.00.25.840.XX

Touch & DALI Dimmable

3000K - Ra90 - 63.8W	1600.00.26.830.XX
4000K - Ra90 - 63.8W	1600.00.26.840.XX



Full Moon 900 **NEW!**

Non dimmable

3000K - Ra80 - 163.4W	1900.00.24.830.XX
4000K - Ra90 - 163.4W	1900.00.24.840.XX

1-10V Dimmable

3000K - Ra90 - 163.4W	1900.00.25.830.XX
4000K - Ra90 - 163.4W	1900.00.25.840.XX

Touch & DALI Dimmable

3000K - Ra90 - 163.4W	1900.00.26.830.XX
4000K - Ra90 - 163.4W	1900.00.26.840.XX

Available colors: 000.000.00.000.XX
Other RAL colors on request

01



White Matt Text.
Standard

18



Grey Matt Text.
Standard

07



Anthracite
Standard

03



Black Matt Text.
Standard

25



Smoked Brown Text.
Standard



