

# Globe 500 Textured

Type Lounge  
 Mounting Suspended  
 Material Aluminium  
 El. class / IP Class I / IP20  
 Warranty: see p.348

## Titan


CCT 2700K / 3000K / 4000K  
 CRI Ra90 (Ra80 on request)  
 SDCM 3  
 Luminous Flux LED 2700K - Ra90: (3x) 1100lm (124lm/W)  
 3000K - Ra90: (3x) 1156lm (130lm/W)  
 4000K - Ra90: (3x) 1172lm (132lm/W)  
 Luminous Flux System 2700K - Ra90: (3x) 880lm (86lm/W)  
 3000K - Ra90: (3x) 925lm (91lm/W)  
 4000K - Ra90: (3x) 938lm (92lm/W)  
 Beam angle 28° / 40°  
 LED Power (3x) 8.9W / 350mA (excl. driver)  
 System Power (3x) 10.2W / 350mA (incl. driver)

## Titan Dim-to-warm LED (more info see p.330)

CCT Dim-to-warm 1800-3000K  
 CRI Ra90  
 Luminous Flux LED: (3x) 860lm - System: (3x) 688lm  
 LED Power (3x) 8.2W / 250mA (excl. driver)  
 System Power (3x) 9.4W / 250mA (incl. driver)

## Suspension set (included):

- Ceiling box (matching luminaire color)
- Integrated strain relief
- Single steel suspension wire
- 230V Textile supply cable max. 2000mm:
  - White cable: White luminaire
  - Grey cable: Grey luminaire
  - Black cable: All other luminaire colors



## Options

### Suspension set 3700mm

White 3700mm - 3x0.75mm <sup>2</sup>	102.13.01-4
White 3700mm - 5x0.75mm <sup>2</sup>	102.15.01-4
Black 3700mm - 3x0.75mm <sup>2</sup>	102.13.03-4
Black 3700mm - 5x0.75mm <sup>2</sup>	102.15.03-4
Grey 3700mm - 3x0.75mm <sup>2</sup>	102.13.18-4
Grey 3700mm - 5x0.75mm <sup>2</sup>	102.15.18-4

### On Request

Globe with CRI Ra97  
 Globe with Class A LED

Globe 500 interior with Titan:



## Globe 500 Textured

1x E27 - max. 60W

1x E27

127.38.xx

### 3x Titan - Non dim

(3x) 2700K - Ra90 - 10.2W - 880lm

127.2600.24.927.xx

(3x) 3000K - Ra90 - 10.2W - 925lm

127.2600.24.930.xx

(3x) 4000K - Ra90 - 10.2W - 938lm

127.2600.24.940.xx

### 3x Titan - 1-10V dim

(3x) 2700K - Ra90 - 10.2W - 880lm

127.2600.25.927.xx

(3x) 3000K - Ra90 - 10.2W - 925lm

127.2600.25.930.xx

(3x) 4000K - Ra90 - 10.2W - 938lm

127.2600.25.940.xx

### 3x Titan - DALI dim

(3x) 2700K - Ra90 - 10.2W - 880lm

127.2600.26.927.xx

(3x) 3000K - Ra90 - 10.2W - 925lm

127.2600.26.930.xx

(3x) 4000K - Ra90 - 10.2W - 938lm

127.2600.26.940.xx

### 3x Titan - Mains dim

(3x) 2700K - Ra90 - 10.2W - 880lm

127.2600.27.927.xx

(3x) 3000K - Ra90 - 10.2W - 925lm

127.2600.27.930.xx

(3x) 4000K - Ra90 - 10.2W - 938lm

127.2600.27.940.xx

### 3x Titan - Push dim

(3x) 2700K - Ra90 - 10.2W - 880lm

127.2600.29.927.xx

(3x) 3000K - Ra90 - 10.2W - 925lm

127.2600.29.930.xx

(3x) 4000K - Ra90 - 10.2W - 938lm

127.2600.29.940.xx

### 3x Titan - Dim-to-warm 1800-3000K

(3x) DTW - 9.4W - 688lm - DALI dim

127.2600.26.DTW.xx

(3x) DTW - 9.4W - 688lm - Mains dim

127.2600.27.DTW.xx

Available colors:

000.0000.00.000.xx


Other RAL colors on request

01




White  
Standard

18



Grey  
Standard

03



Black  
Standard

12



White + Gold Matt

25




Smoked Brown  
Standard

15



Corten

05



Black + White

11




Black + Gold Matt




Globe 800 (Black + Gold Matt)



Dome & Globe connecting box (Black)



Dome & Globe suspension & power cable



Detail of Globe 500 Textured surface (Black)



Detail of Globe 800 T1 surface (Black)



Globe 500 interior with Titan (Black + Gold Matt)



Globe 500 Textured (Corten)

