

Palladium / Palladino

Type Lounge
 Mounting Suspended
 Material Polyethylene (850°C)
 El. class / IP Class I / IP20
 Warranty: see p.348

Palladium LED Module

Led module + driver included
 Luminous Flux 3000K - Ra80: 6480lm (154lm/W)
 LED 4000K - Ra80: 6960lm (165lm/W)
 LED power 42.1W (excl. driver)

Palladino LED Module

Led module + driver included
 Luminous Flux 3000K - Ra80: 4080lm (152lm/W)
 LED 4000K - Ra80: 4320lm (161lm/W)
 LED power 26.8W (excl. driver)

Titan

Driver included
 Fixed spots (cone)
 CCT 2700K / 3000K / 4000K
 CRI Ra90 (Ra80 on request)
 SDCM 3
 Luminous Flux 3000K - Ra90: (3x) 1054lm (116lm/W)
 LED 4000K - Ra90: (3x) 1077lm (119lm/W)
 Luminous Flux 3000K - Ra90: (3x) 867lm (86lm/W)
 System 4000K - Ra90: (3x) 886lm (88lm/W)
 Beam angle 28° / 40°
 LED Power (3x) 8.9W / 350mA (excl. driver)
 System Power (3x) 10.1W / 350mA (incl. driver)

Suspension set (included):

- White ceiling box
- Integrated strain relief
- Steel suspension wires 2000mm (3x)
- 230V White textile supply cable 2000mm



Palladino:



Palladium:



Fonteinhof Borgloon Belgium

Options

Suspension + white power cable 3700mm

White 3700mm - 3x0.75mm² 102.33.01-4
 White 3700mm - 5x0.75mm² 102.35.01-4
 White 3700mm - 7x0.75mm² 102.37.01-4


Separate circuit for Palladium T2 LED spots

Separate circuit T2 650.00.01

On request

Recessed connecting box (more info on p.340/p.346)

Trimless connecting box (more info on p.340/p.346)



Palladino LED interior
 4080/4320lm LED



Palladium LED interior
 6480/6960lm LED





Palladino
LED

Paladino LED Module 4080/4320lm - 26.8W
 3000K - Ra80 - Non dimmable 341.LED.830
 3000K - Ra80 - Touch & DALI dim. 341.LED.830-TD
 4000K - Ra80 - Non dimmable 341.LED.840
 4000K - Ra80 - Touch & DALI dim. 341.LED.840-TD



Palladium
LED

Palladium LED Module 6480/6960lm - 42.1W
 3000K - Ra80 - Non dimmable 340.LED.830
 3000K - Ra80 - Touch & DALI dim. 340.LED.830-TD
 4000K - Ra80 - Non dimmable 340.LED.840
 4000K - Ra80 - Touch & DALI dim. 340.LED.840-TD



Palladium T2
LED

Palladium LED Module 6480/6960lm - 42.1W + 3xTitan Fix LED
 3000K - Ra80 - Non dimmable 376.LED.830
 3000K - Ra80 - Touch & DALI dim. 376.LED.830-TD
 4000K - Ra80 - Non dimmable 376.LED.840
 4000K - Ra80 - Touch & DALI dim. 376.LED.840-TD



Ümraniye Istanbul



Ümraniye Istanbul



Fonteinhof Borgloon Belgium

