

Pollux 450 Textured

Type Lounge
 Mounting Suspended
 Material Aluminium
 El. class / IP Class I / IP20
 Warranty: see p.348

Titan


CCT 2700K / 3000K / 4000K
 CRI Ra90 (Ra80 on request)
 SDCM 3
 Luminous Flux LED 2700K - Ra90: 1100lm (124lm/W)
 3000K - Ra90: 1156lm (130lm/W)
 4000K - Ra90: 1172lm (132lm/W)
 Luminous Flux Titan Module 2700K - Ra90: 880lm (86lm/W)
 3000K - Ra90: 925lm (91lm/W)
 4000K - Ra90: 938lm (92lm/W)
 Beam angle 28° / 40°
 LED Power 8.9W / 350mA (excl. driver)
 System Power 10.2W / 350mA (incl. driver)

Titan Dim-to-warm LED (more info see p.330)

CCT Dim-to-warm 1800-3000K
 CRI Ra90
 Luminous Flux LED: 860lm - System: 688lm
 LED Power 8.2W / 250mA (excl. driver)
 System Power 9.4W / 250mA (incl. driver)

Suspension set (included):

- Ceiling box (matching luminaire color)
- Integrated strain relief
- 230V Textile supply/suspension cable max. 2000mm:
 - White cable: White luminaire
 - Grey cable: Grey luminaire
 - Black cable: All other luminaire colors



Pollux 450 Textured (Black)

Options

Suspension set 3700mm

White 3700mm - 3x0.75mm ²	102.03.01-4
White 3700mm - 5x0.75mm ²	102.05.01-4
Black 3700mm - 3x0.75mm ²	102.03.03-4
Black 3700mm - 5x0.75mm ²	102.05.03-4
Grey 3700mm - 3x0.75mm ²	102.03.18-4
Grey 3700mm - 5x0.75mm ²	102.05.18-4

On Request

Pollux with CRI Ra97
 Pollux with Class A LED

Pollux 450 Textured

1x E27 - max. 60W

1x E27

129.38.xx

1x Titan - Non dim

2700K - Ra90 - 10.2W - 880lm 129.2600.24.927.xx

3000K - Ra90 - 10.2W - 925lm 129.2600.24.930.xx

4000K - Ra90 - 10.2W - 938lm 129.2600.24.940.xx

1x Titan - 1-10V dim

2700K - Ra90 - 10.2W - 880lm 129.2600.25.927.xx

3000K - Ra90 - 10.2W - 925lm 129.2600.25.930.xx

4000K - Ra90 - 10.2W - 938lm 129.2600.25.940.xx

1x Titan - DALI dim

2700K - Ra90 - 10.2W - 880lm 129.2600.26.927.xx

3000K - Ra90 - 10.2W - 925lm 129.2600.26.930.xx

4000K - Ra90 - 10.2W - 938lm 129.2600.26.940.xx

1x Titan - Mains dim

2700K - Ra90 - 10.2W - 880lm 129.2600.27.927.xx

3000K - Ra90 - 10.2W - 925lm 129.2600.27.930.xx

4000K - Ra90 - 10.2W - 938lm 129.2600.27.940.xx

1x Titan - Push dim

2700K - Ra90 - 10.2W - 880lm 129.2600.29.927.xx

3000K - Ra90 - 10.2W - 925lm 129.2600.29.930.xx

4000K - Ra90 - 10.2W - 938lm 129.2600.29.940.xx


1x Titan - Dim-to-warm 1800-3000K

DTW - 9.4W - 688lm - DALI dim 129.2600.26.DTW.xx

DTW - 9.4W - 688lm - Mains dim 129.2600.27.DTW.xx

Available colors:
000.0000.00.000.XX

Other RAL colors on request







Pollux 550 Textured (White)