


# Tunnel

## Double / Triple Round

Type Lounge  
 Mounting Suspended  
 Material Polycarbonate (850°C)  
 Aluminium Powdercoated end plates  
 E.I. class / IP Class I / IP20  
 Warranty: see p.348

**Module Tunnel 1200 - Philips Fortimo LED Line HV**  
 Luminous Flux 3000K - Ra80: 9664lm (163lm/W)  
 LED 4000K - Ra80: 10400lm (176lm/W)  
 Luminous Flux 3000K - Ra80: 7966lm (113lm/W)  
 System 4000K - Ra80: 8573lm (122lm/W)  
 LED power 59.2W (excl. driver)  
 System power 70.5W (incl. driver)

- Suspension set (included):**
- White ceiling box
  - Integrated strain relief
  - Two steel suspension wires
  - Two steel connecting wires
  - 230V White textile supply cable



Carehome of the Future - Bellén Architects

### Options

**Suspension + White power cable 4000mm (between ceiling and first Tunnel)**

Suspension + 3x0.75mm<sup>2</sup> 102.23.01-4

Suspension + 5x0.75mm<sup>2</sup> 102.25.01-4

### On request

Recessed connecting box (more info on p.340/p.346)

Trimless connecting box (more info on p.340/p.346)



## Tunnel LED

Double Round

### Philips Fortimo LED Line (2x)10400lm

|                                  |                     |
|----------------------------------|---------------------|
| 3000K - Ra80 - Non dimmable      | 329.10000.830.01    |
| 3000K - Ra80 - 1-10V dimmable    | 329.10000.830.01-D  |
| 3000K - Ra80 - Touch & DALI dim. | 329.10000.830.01-TD |
| 4000K - Ra80 - Non dimmable      | 329.10000.840.01    |
| 4000K - Ra80 - 1-10V dimmable    | 329.10000.840.01-D  |
| 4000K - Ra80 - Touch & DALI dim. | 329.10000.840.01-TD |



## Tunnel LED

Triple Round

### Philips Fortimo LED Line (3x)10400lm

|                                  |                     |
|----------------------------------|---------------------|
| 3000K - Ra80 - Non dimmable      | 339.10000.830.01    |
| 3000K - Ra80 - 1-10V dimmable    | 339.10000.830.01-D  |
| 3000K - Ra80 - Touch & DALI dim. | 339.10000.830.01-TD |
| 4000K - Ra80 - Non dimmable      | 339.10000.840.01    |
| 4000K - Ra80 - 1-10V dimmable    | 339.10000.840.01-D  |
| 4000K - Ra80 - Touch & DALI dim. | 339.10000.840.01-TD |



Tunnel Round - Interior



Tunnel Square - Top



Tunnel Square - Ceiling connecting box



Tunnel Round - Top



Tunnel Round - Ceiling connecting box

